

ZAVOD ZA ZDRAVSTVENU ZAŠTITU STUDENATA, BEOGRAD

Beograd, Krunska br. 57

Telefon:011/2457851, PIB:100281358, Matični broj:07010117, Broj računa:840-0000000485667-67, Br. izvrš.evid. za PDV:, JBBK:02406

TRENTNA ZALIHA NA DAN - PO PROSEČNIM CENAMA**KRITERIJUMI**

Na dan: 31.03.2020.

Klasifikacija artikla: 06-Laboratorijski materijal

Magacin:01P-Apoteka primar

Artikal	Zaliha	JM	PDV %	Prosečna cena	Prosečna vred.
000003 ACD DIFF COULTER 15lit.	0,000	L	N1 - 20%	0,00	0,00
000970 ACIDUM URICUM (1000 test)	0,000	TEST	N1 - 20%	0,00	0,00
000971 ALKALNA FOSFATAZA IFCC (1240 test)	0,000	TEST	N1 - 20%	0,00	0,00
000972 ALT (880 test)	0,000	TEST	N1 - 20%	0,00	0,00
000016 AMILAZA Powder 100ml	0,000	ML	N1 - 20%	0,00	0,00
000973 AST (840 test)	0,000	TEST	N1 - 20%	0,00	0,00
000054 BILIRUBIN direktni (920 test)	0,000	TEST	N1 - 20%	0,00	0,00
000055 BILIRUBIN ukupni (2360 test)	0,000	TEST	N1 - 20%	0,00	0,00
000974 CHOLESTEROL (3640test)	0,000	TEST	N1 - 20%	0,00	0,00
000114 CLEANAC-3 1lit	0,000	ML	N1 - 20%	0,00	0,00
001006 CLEANING SOLUTION (6X450ml) AU	0,000	ML	N1 - 20%	0,00	0,00
000115 CLENAC (5lit)	5.000,000	ML	N1 - 20%	2,16	10.776,00
000979 CRP -Latex (920 test)	920,000	TEST	N1 - 20%	45,00	41.397,57
000121 CRP Latex Calib.Normal set (5x2ml)	0,000	ML	N1 - 20%	0,00	0,00
000137 DIA-IMIDAZOL(12X15ml)	0,000	ML	N1 - 20%	0,00	0,00
000177 EPRUVETE BAKTO 16X100	0,000	KOM	N1 - 20%	0,00	0,00
000195 FIBRINOGEN (12X2ml)	0,000	ML	N1 - 20%	0,00	0,00
000233 GGT,metod IFCC	0,000	ML	N1 - 20%	0,00	0,00
000976 GLUKOZA (2440test)	0,000	TEST	N1 - 20%	0,00	0,00
000975 GVOŽDJE (2000test)	0,000	TEST	N1 - 20%	0,00	0,00
000260 HDL direktan 80ml	0,000	ML	N1 - 20%	0,00	0,00
000261 HDL/LDL HOLESTEROL KALIBRATOR 3ml.	0,000	KOM	N1 - 20%	0,00	0,00
000267 HEMOLYNAC-3N 1lit.	2.000,000	ML	N1 - 20%	10,52	21.036,00
000287 HLOROVODON.KISELINA 1N	0,000	ML	N1 - 20%	0,00	0,00
000303 ISOTONAC-3 20lit.	80,000	L	N1 - 20%	502,15	40.172,00
000307 ITA 2 Control CRP (6x2ml)	0,000	ML	N1 - 20%	0,00	0,00
000380 KIVETE ZA KOAGULOMETAR 4-KAN.	47,000	KOM	N1 - 20%	7,68	360,94
000408 KONTR. SERUM N 5ml.-bioanal.	0,000	KOM	N1 - 20%	0,00	0,00
000409 KONTR. SERUM P 5ml.-bioanal.	0,000	KOM	N1 - 20%	0,00	0,00
000410 KONTR.KVAL.DO 20 PARAM.(2X5ml)	0,000	ML	N1 - 20%	0,00	0,00
000982 KONTROLNA KRV- N (3diff)	0,000	KOM	N1 - 20%	0,00	0,00
000442 LDH Power 200ml	0,000	ML	N1 - 20%	0,00	0,00
000493 MIKROTUBA/EPPENDORF/1,5ml	2.000,000	KOM	N1 - 20%	1,14	2.280,00
000503 MULTIKALIBRATOR 4X3ml.	0,000	ML	N1 - 20%	0,00	0,00
000522 NAST.ZA AUTOM.PIPETU plavi	4.000,000	KOM	N1 - 20%	1,23	4.920,00
000524 NASTAVAK ZA AUTOM.PIPETU zuti	5.000,000	KOM	N1 - 20%	0,42	2.100,00
000696 RINSE SOLUTIN za BT2000	0,000	ML	N1 - 20%	0,00	0,00

Štampano: 03.04.2020. 13:29

Korisnik: RADOJKA KOMAZEC

• TRENTNA ZALIHA NA DAN - PO PROSEČNIM CENAMA •

Strana 1 od 3

Magacin:01P-Apoteka primar

Artikal	Zaliha	JM	PDV %	Prosečna cena	Prosečna vred.
000996 TRAKE ZA URIN SA 2 PARAM.	0,000	KOM	N1 - 20%	0,00	0,00
000875 TRAKE ZA URIN a100kom.	900,000	KOM	N1 - 20%	5,42	4.881,60
000977 TRIGLICERIDI (1160 test)	0,000	TEST	N1 - 20%	0,00	0,00
000980 UIBC (960 test)	0,000	TEST	N1 - 20%	0,00	0,00
000978 UREA (2480 test)	0,000	TEST	N1 - 20%	0,00	0,00
000911 VAC.EDTA 3ml.pvc	2.407,000	KOM	N1 - 20%	9,00	21.652,91
000912 VAC.EPRUVETA SERUM.	2.019,000	KOM	N1 - 20%	9,28	18.728,27
000913 VAC.koagulacija 4,5ml.	733,000	KOM	N1 - 20%	10,59	7.759,85
000914 VAC.sediment.5,2ml.	2.415,000	KOM	N1 - 20%	13,78	33.281,95
000915 VACUTAINER TUBE SERUM	0,000	KOM	N1 - 20%	0,00	0,00
000916 VACUTANER NEEDLE YELLOW -igle	3.402,000	KOM	N2 - 10%	7,15	24.318,61
000932 WASH Solution (AU480)(6x2lit)	0,000	ML	N1 - 20%	0,00	0,00
000937 XILOL	1,000	ML	N1 - 20%	495,60	495,60
Ukupno za magacin 01P:		30.924,000			234.161,30

Magacin:12-Odeljenje za laboratorijsku dijagnostiku

Artikal	Zaliha	JM	PDV %	Prosečna cena	Prosečna vred.
000003 ACD DIFF COULTER 15lit.	0,000	L	N1 - 20%	0,00	0,00
000970 ACIDUM URICUM (1000 test)	476,000	TEST	N1 - 20%	10,95	5.212,10
000971 ALKALNA FOSFATAZA IFCC (1240 test)	1.381,000	TEST	N1 - 20%	4,14	5.723,42
000972 ALT (880 test)	2.077,000	TEST	N1 - 20%	16,17	33.579,43
000016 AMILAZA Powder 100ml	90,000	ML	N1 - 20%	54,00	4.860,00
000017 AMONIUM SULFURIUM	420,000	G	N1 - 20%	0,93	390,00
000973 AST (840 test)	2.299,000	TEST	N1 - 20%	15,62	35.903,84
000054 BILIRUBIN direktni (920 test)	1.042,000	TEST	N1 - 20%	5,17	5.391,43
000055 BILIRUBIN ukupni (2360 test)	1.760,000	TEST	N1 - 20%	4,94	8.693,12
000974 CHOLESTEROL (3640test)	2.729,000	TEST	N1 - 20%	4,31	11.757,96
000114 CLEANAC-3 1lit	0,000	ML	N1 - 20%	0,00	0,00
001006 CLEANING SOLUTION (6X450ml) AU	2.250,000	ML	N1 - 20%	0,44	999,90
000115 CLENAC (5lit)	0,000	ML	N1 - 20%	0,00	0,00
000979 CRP -Latex (920 test)	815,000	TEST	N1 - 20%	45,00	36.672,89
000121 CRP Latex Calib.Normal set (5x2ml)	7,500	ML	N1 - 20%	2.758,89	20.691,71
000136 DIA-CAL (12x1ml)	0,000	ML	N1 - 20%	0,00	0,00
000137 DIA-IMIDAZOL(12X15ml)	150,000	ML	N1 - 20%	9,67	1.450,00
000195 FIBRINOGEN (12X2ml)	48,000	ML	N1 - 20%	442,19	21.225,22
000233 GGT,metod IFCC	40,000	ML	N1 - 20%	9,51	380,40
000235 GIMSAU	170,000	ML	N1 - 20%	5,45	926,50
000976 GLUKOZA (2440test)	2.170,000	TEST	N1 - 20%	4,35	9.428,86
000975 GVOŽDJE (2000test)	2.999,000	TEST	N1 - 20%	5,48	16.426,28
000260 HDL direktan 80ml	0,000	ML	N1 - 20%	0,00	0,00
000261 HDL/LDL HOLESTEROL KALIBRATOR 3ml.	0,000	KOM	N1 - 20%	0,00	0,00
000267 HEMOLYNAC-3N 1lit.	0,000	ML	N1 - 20%	0,00	0,00
000287 HLOROVODON.KISELINA 1N	300,000	ML	N1 - 20%	1,43	429,69
000303 ISOTONAC-3 20lit.	17,000	L	N1 - 20%	365,20	6.208,40
000307 ITA 2 Control CRP (6x2ml)	10,000	ML	N1 - 20%	2.301,55	23.015,52

Magacin:12-Odeljenje za laboratorijsku dijagnostiku

Artikal	Zaliha	JM	PDV %	Prosečna cena	Prosečna vred.
000331 KALIJUM DIHIDROG.FOSFAT	150,000	G	N1 - 20%	1,88	282,00
000332 KALIJUM FERICIJANID	200,000	G	N1 - 20%	4,92	984,00
000333 KALIJUM JODID	400,000	G	N1 - 20%	6,20	2.480,00
000402 KONT.SERUM 1 (20x5ml)	9,000	BOC	N1 - 20%	1.393,08	12.537,72
000403 KONT.SERUM 2 (20x5ml)	8,000	BOC	N1 - 20%	1.390,91	11.127,28
000408 KONTR. SERUM N 5ml.-bioanal.	0,000	KOM	N1 - 20%	0,00	0,00
000409 KONTR. SERUM P 5ml.-bioanal.	0,000	KOM	N1 - 20%	0,00	0,00
000410 KONTR.KVAL.DO 20 PARAM.(2X5ml)	0,000	ML	N1 - 20%	0,00	0,00
000982 KONTROLNA KRV- N (3diff)	0,000	KOM	N1 - 20%	0,00	0,00
000442 LDH Power 200ml	30,000	ML	N1 - 20%	7,39	221,78
000487 METANOL P. A LACHEMA	1.478,000	ML	N1 - 20%	0,68	1.005,04
000503 MULTIKALIBRATOR 4X3ml.	3,000	ML	N1 - 20%	360,00	1.080,00
000507 NA - CITRIUM	620,000	G	N1 - 20%	2,83	1.754,60
000968 NA-HIDROXIDUM	620,000	KOM	N1 - 20%	35,20	21.824,00
000508 Na CHLORID	950,000	G	N1 - 20%	0,28	266,00
000969 OLEUM KEDRI	87,000	ML	N1 - 20%	20,23	1.760,01
000696 RINSE SOLUTIN za BT2000	0,000	ML	N1 - 20%	0,00	0,00
000713 SAMPLE Cup,500 od 3ml	0,000	ML	N1 - 20%	0,00	0,00
000749 SISTEM SERUM Calib.(20x5ml)	0,000	ML	N1 - 20%	0,00	0,00
000806 SULFOSALICILNA KIS.20%	381,000	ML	N1 - 20%	4,04	1.539,24
000996 TRAKE ZA URIN SA 2 PARAM.	50,000	KOM	N1 - 20%	5,23	261,60
000875 TRAKE ZA URIN a100kom.	300,000	KOM	N1 - 20%	5,33	1.598,39
000977 TRIGLICERIDI (1160 test)	1.739,000	TEST	N1 - 20%	11,68	20.314,78
000980 UIBC (960 test)	706,000	TEST	N1 - 20%	10,42	7.359,49
000978 UREA (2480 test)	1.228,000	TEST	N1 - 20%	5,88	7.218,85
000932 WASH Solution (AU480)(6x2lit)	8.000,000	ML	N1 - 20%	1,58	12.671,29
000937 XILOL	0,000	ML	N1 - 20%	0,00	0,00
Ukupno za magacin 12:	38.209,500				355.652,74
Ukupno:	69.133,500				589.814,04